



## SiPass Entro Lite DC800 Door controller

Access Control

- 
- **1,000 card capacity**
  - **Calendar Clock function**
  - **Bank-lobby function**
  - **Anti-passback function**
  - **Event buffering**

The DC800 is a door controller for one door that is programmable via a built in keypad or from a PC with the SiPass Entro Lite software. It can also work as a door controller in a larger SiPass Entro system. It includes functions like calendar clock, event buffering, door monitoring, and anti-passback, as well as a bank-lobby function. It is easy to upgrade to a multi-door solution by using the SiPass Entro Lite software together with the USB-RIF/2 interface converter.

---

## Technical data

---

Interface	BC-link, Clock&Data or Wiegand (26 bit, 32 bit, 8 bit burst), RS485 system com bus
Housing	Wall-mounted housing with lock
Colour	White
Environment	Indoor
Operating temperature	-35 to +50 °C. 0 to 90% relative humidity
Current consumption	200 mA (24 VDC). Reader only.
Dimensions (WxHxD)	250 x 128 x 54 mm
Door capacity	1
Code capacity	10
Card capacity	1,000
Time zones	80
Event log capacity	1,000 (in offline mode)
Inputs	Door contact for indicating closed/open door Exit button request with delay
Outputs	Voltage-free change over contact (lock relay), max. 2A, 30 VDC Voltage-free change over contact (extra relay) max. 2A, 30 VDC

## Details for ordering

---

Type	Part no	Designation	Weight
DC 800	S24246-C8200-A1	Door Controller	

This must be the last line before the last page



Siemens Switzerland Ltd  
Building Technologies Group  
International Headquarters  
Fire Safety & Security Products  
Gubelstrasse 22  
CH-6301 Zug  
Tel. +41 41 724 24 24  
Fax +41 41 724 35 22  
[www.sbt.siemens.com](http://www.sbt.siemens.com)

© 2007 Copyright by  
Siemens Switzerland Ltd  
Data and design subject to change without notice.  
Supply subject to availability.

---

Document no. **A6V10074283\_a\_en**  
Edition 08.2005

Manual xx  
Section x